AD-A263 606


1



Managing Hazardous and Toxic Waste Information:

GIS Application









August 9-11, 1989 Denver, Colorado



APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED

93-09215

MANAGING HAZARDOUS AND TOXIC WASTE INFORMATION: GIS APPLICATIONS

United States Army Toxic and Hazardous Materials Agency (USA-THAMA), United States Army Construction Engineering Research Laboratory (USACERL), and United States Army Waterways Experiment Station (USAWES) sponsored a symposium entitled "Managing Hazardous and Toxic Waste Information: Geographic Information Systems (GIS) Applications" on August 9, 10, and 11 in Denver, Colorado. The purpose of that meeting was for sharing ideas, systems and progress on the various GIS programs within the Corps of Engineers and the Army, with applications to the study and management of hazardous and toxic waste issues. The symposium provided a unique opportunity to develop synergy between the Corps of Engineers Laboratories, specifically in the area of GIS Research and Development and GIS implementation efforts. Discussions about these efforts proved very beneficial to all parties concerned.

LIST OF CONTENTS

- 1. Introductory Material
 - a. Agenda
 - b. List of Registered Attendees
 - c. Meeting Notes by Mike Yoemans
- 2. Speakers Presentation Materials
 - a. Notes from Keynote address by Bill Klesch
 - b. THAMA Mark Bovelsky & Ira May
 - c. CERL Bill Goran
 - d. WES Jack Stroll & Sandy Stephens
 - e. CRREL Ike McKim
 - f. ETL Bruce Opitz
 - g. DMA Mark Shellberg
- 3. Vendors & University Presentation Materials
 - a. DBA Dave Johnson
 - b. Autometrics Bruce Morse
 - c. Purdue University Kurt Buehler & Douglas Hickey
 - d. ESRI Jack McCarthy
- 4. Working Group Reports
 - a. Remote Sensing in Hazardous & Toxic Waste Sophie Baj
 - b. Planning and Marketing Group Al Galdis
 - c. Raster/Vector Integration Joe Paxton
 - d. Single Discipline Task Group Roger Gauthier

CRA&I		
TAB		
rtion /		
Availability Codes		
Avail ar Spec		
	ener Benesia	
	ounced ation ution / vailability	

INTRODUCTORY MATERIAL

- A. AGENDA
- B. LIST OF REGISTERED ATTENDEES
- C. MEETING NOTES BY MIKE YOEMAN

MANAGING HAZARDOUS AND TOXIC WASTE INFORMATION: GIS APPLICATIONS

Denver, Colorado August 8-11, 1989 MEETING AGENDA

Tuesday, August 8

6:00 p.m.-9:00 p.m. 7:00 p.m.-10:00 p.m. Registration Judy Zindars
Icebreaker THAMA

Wednesday, August 9

8:30-8:45

Opening Remarks Mark Bovelsky, William Goran, Sundy Stephens

8:45-9:15

Keynote Address

"GIS in the Corps: Process and Directions" Bill Klesch

9:15-10:00

AMAHT

"THAMA Overview: Installation Restoration Data Management

Information System (IRDMIS)" Mark Bovelsky

"Geotechnical Applications Using Interactive

Surface Modeling" Ira May

10:00-10:15

Break

10:15-11:00

CERL

"GIS Capabilities and Activities at CERL" William Goran

"GRASS: Development and Support" Jim Westervelt

11:00-12:00

WES

"Geotechnical Applications of GIS" Albert Williamson

"GIS/Image Processing Synopsis" Jack Stoll

"CADD and GIS" Sundy Stephens

12:00-1:00

1:00-1:45

Lunch CRREL

"Demonstration of PRISM and STELLA Software for

use in the Corps of Engineers" The McKim

1:45-2:30

ETL

"GIS Work at ETL" Bruce Opitz

2:30-2:45

Break

2:45-3:30

DMA

2:40-3:30

"DMA: CD-ROM Products" Mark Shellberg

3:30-3:45

Wrap-up Mark Bovelsky

3:45-6:00

Corps Demonstrations

Thursday, August 10

8:30-8:45

Opening Remarks Sundy Stephens

8:45-10:15

Vendom' and Agencies' Presentations

DBA Dave Johnson

Dynamic Graphics Bill Haaker

Autometrics "MOSS and Autometrics" Bruce Morse

Purdue University "Evaluating Ground Water Pollution Potential

using GIS' Kurt Buehler and Douglas Hickey

10:15-10:30

Break

10:30-12:00 Vendors' and Agencies' Presentations
Intergraph Gary Lambert
ESRI Jack McCarthy
Concurrent Computer Corporation Daryl McDaniel
12:00-1:30 Lunch
1:30-3:00 Warking Groups
3:00-8:15 Wrap-up Sandy Stephens
3:15-3:30 Break
3:30-5:00 Vendors' and Agencies' Demonstrations

Friday, August 11

8:15-8:30 Opening Remarks William Goran 8:30-9:00 Bringing it all Together: Data Interface Sandy Stephens 9:00-10:30 Round Table Discussion

10:30-10:45 Break

10:45-12:00 Round Table (cont.)

12:00 Adjourn

Abrahamson, Cindy GIS Specialist USA CERL ATTN: CERL-EN P.O. Box 4005 Champaign, IL 61824-4005 217/352-6511

Anderson, Andy Program Coordinator, EAIS Argonne National Laboratory Argonne, IL 301/734-6100

Astrack, Richard Civil Engineer St. Louis District ATTN: CELMS-PD-U210 Tucker Blvd North St. Louis, MO 63101-1986 314/263-5600

Baj, Sophie Fitek GIS Coordinator USACE Buffalo District 1776 Niagara Street Buffalo, NY 14207 716/879-4271

Barczyk, Gerald F. Sup. Civil Engineer COE, Pittsburg District ATTN: CEORP-ED-SM 1000 Liberty Avenue Pittsburg, PA 15222 412/644-4122

Barnes, Manuel
GIS Manager
Little Rock District, COE
700 W. Capitol
Little Rock, Arkansas 72203
501/378-5031

Bechtell, Bill Geotechnical Engineer South Pacific Division ATTN: CESPD-ED-TG 630 Sansome Street San Francisco, CA 94111 415/556-3224

Birkenstock, Terry Wildlife Biologist St. Paul District, COE 1421 U.S. P.O & Custom House St. Paul, MN 55101 612/220-0274

Bovelsky, Mark Chief, Env. Data Systems Br. USA THAMA ATTN: CETHA-RM-I APG, MD 21010-5401 301/676-8087

Bressler, Gene
Regional Manager
Dynamic Graphics
5251 DTC Parkway #710
Englewood, CO
303/694-6011

Bruzewicz, Andy
Physical Scientist
Rock Island District COE
Clock Tower Building
P.O. Box 2004
Rock Island, IL 61204-2004
309/788-6361 x203

Buehler, Kurt
Professional Research Assistan
Purdue Univeristy/CU-CADSWES
School of Civil Engineering
Purdue University
West Lafayette, IN 47907
303/492-3972

Burnham, Mike Acting Chief, Planning Division Hydrologic Engineering Center 609 Second Street Davis, CA 95616 916/551-1748

Bushell, Wayne Program Manager Potomac Research Inc. P.O. Box 14 APG, MD 21010 301/679-3338

Carey, Mike
Outdoor Recreation Planner
Kansas City District COE
716 Federal Building
601 E. 12th Street
Kansas City, MO 64106
816/426-3252

Cassell, Alan Professor, IPA with CRREL University of Vermont Burlington, UT 05432 802/985-8710

Cates, Jim
Info. Management Specialist
CESWD-IM-P
1114 Commerce Street
Dallas, TX 75242
214/767-9229

Creighton, Jim
Civil Engineer
Norfolk District COE
ATTN: CENAOPL-F
803 Front Street
Norfolk, VA 23510
804/441-7769

Dolan, Teresa Marketing Technical Support ESRI 380 New York Street Redlands, CA 92373 714/793-2853

Edwardo, Henry Chief, FPMS Branch COE Pittsburgh 1000 Liberty Avenue Pittsburg, PA 15222-4182 412/644-6955

Emmerich, Chris Autometric, Inc. 165 S. Union Suite 901 Lakewood, CO 303/989-6377

Galdis, Alan Chief, Customer Assistance Cent USAED Mobile, ATTN: IM-C P.O. Box 2288 Mobile, AL 36628 205/690-2342

Gallaher, W. B. Biologist, US Army COE Southwestern Division 1114 Commerce Street Dallas, TX 75242 214/767-2305

Gautheir, Roger
Hydrologist
USAED, Detroit
ATTN: CENCE-ED-L
P.O. Box 1027
Detroit, MI 48231-1027
313/226-3054

Gibbs, Jim
Intergraph Fed Acc't. Mgr.
100 Spear Street, Suite 1525
San Francisco, CA 94125
415/227-4055

Goran, Bill Principal Investigator USA CERL ATTN: CERL-EN P.O. Box 4005 Champaign, IL 61824-4005 217-373-6735

Gregory, Paul Dir. Sales/Marketing, Tentime 727 E. 16th Avenue Denver, CO 80203 303/837-0181

Hoge, Greg C. Chief, Information Systems Branch USACRREL 72 Lyme Road Hanover, NH 03755 603/646-4502

Horiuchi, Lori Computer Systems Analyst COE, Seattle District ATTN: IMO 4735 E. Marginal Way S. Seattle, WA 98124 206/764-3696

Johnson, Dave M. Analyst/Programmer DBA Systems, Inc. 10560 Arrowhead Drive Fairfax, VA 22030 703/934-6769

Johnson, David Chief Water Quality Vicksburg District COE P.O. Box 60 Vicksburg, MS 601/631-7221 Kangas, John RS/GIS Coordinator North Central Division 536 S. Clark Chicago, IL 60605 312/353-4333

Klesch, William L. Chief Office of Environmental Policy 20 Massachusetts Ave. N.W. Washington, D.C. 20314 202/272-0166

Kos, Chester
Systems Manager
Fort Carson Environmental
ATTN: AFZC-FE-ENR
Bldg. 304
Fort Carson, CO 80913
719/579-2282

Lambert, Gary
Federal Account Manager
Intergraph Corporation
One Madison Industrial Park
Huntsville, AL 35807
205/772-6862

LaPotin, Perry J. Consultant, CRREL 72 Lyme Rd. Hanover, NH 03755 (603) 646-4479

Lyon, John
Associate Professor
Ohio State University
Civil Engineering
2070 Neil Avenue
Columbus, OH 43220
614/292-6039

May, Ira Lead Geologist USA THAMA ATTN: CETHA-IR-S APG, MD 21010-5401 301/676-3182

McKim, Harlan L. Research Physical Scientist USACRREL 72 Lyme Road Hanover, NH 03755 603/646-4479

Merry, Carolyn J. Assistant Professor Ohio State University 2070 Neil Ave. 470 Hitchcock Hall Columbus, OH 43221 614/292-6889

Millhouse, Scott Civil Engineer, USAEDH P.O. Box 1600 Huntsville, AL 35806 205/895-5240

Morse, Bruce Autometric, Inc. 165 S. Union Suite 901 Lakewood, CO 303/989-6377

Mueller, Dave
Business Dev.
DBA Systems
8898 Cactus Flower Way
Highland Ranch, CO 80126
303/791-6106

Opitz, Bruce K.
Director, Geo. Sciences Lab
USA Engineering Topgraphic Lab
Ft. Belvoir, VA 22060
202/355-2850

Pantleo, Jack
Regional Manager
D.P. Associates
c/o Rocky Mountain Arsenal
Bldg. 111 Rm. 222
Commerce City, CO 80022
303/289-0332

Paxton, Joe Chief, Env. Section Planning Div. Ft. Worth District, COE P.O. Box 17300 Ft. Worth, TX 76102 817/334-2095

Peterson, Tim M. GIS Coordinator COE, Omaha District 215 N. 17th Street Omaha, NE 68102 402/221-4174

Pidgeon, Dean Phys. Sci. Tech, USACRREL 72 Lyme Road Hanover, NH 03755 603/646-4387

Plesha, Joe Geologist US Geological Survey Denver Federal Center Denver, CO 303/236-1410

Plummer, Blaine IMO, USAEHA ATTN: HSHB-CI APG, MD 21010-5422 301/671-2458 Sansing, Harold T. Chief, Water Quality Section USACEO, Nashville P.O. Box 1070 Nashville, TN 37202 615/736-5675/2020

Schwening, Bill
Cartograph
US Army Corps of Engineers
ATTN: CEMRO-ED-GM, Rm 3309
215 N. 17th Street
Omaha, NE 68102
402/221-4670

Shelbert, Mark
Physical Scientist
Defense Mapping Agency
ATTN: DMASC
3200 S. Second Street
St. Louis, MO 63118
314/263-4486

Snider, Mary Computer Scientist Argonne National Lab 9700 S. Cass Avenue Argonne, IL 60435 312/972-3775

Socash, Dr. Richard President, Tentime 727 E. 16th Ave. Denver, CO 80237 303/837-0181

Stephens, Carl
Chief, CADD Center
Waterways Experiment Station
ATTN: CEWES-IM-DA
P.O. Box 631
Vicksburg, MS 39180
601/634-2945

Stevenson, Douglas L. Chemist USATHAMA ATTN: CETHA-TS-C APG, MD 21010-5401 301/671-3206

Stoll, Jack
Physical Scientist
US Army Engr. Waterways
P.O. Box
Vicksburg, MS 39180
601/634-2620

Stuart, James N.
Biologist
US Army COE
ATTN: Environmental
P.O. Box 1580
Albuquerque, NM 87106
505/766-6569

Tidball, Ronald
Soil Scientist
U.S. Geological Society
P.O. Box 25046
MS 973 Federal Center
Denver, CO 80225
303/236-5517

Tweddale, Scott
GIS Analyst
USA CERL
ATTN: CERL-EN
P.O. Box 4005
Champaign, IL 61824-4005
217/352-6511 x474

Waltermyer, Robert Chief, Automation Mgmt. Div. USAEHA ATTN: HSHB-CI APG, MD 21010-5422 301/671-3861 Williamson, A. N. Research Physicist USAEWES P.O. Box 631 Vicksburg, MS 39180-0631 601/634-2468

Wood, James W. Computer Engineer USATHAMA ATTN: CETHA-RM/E4435 APG, MD 21010-5401 301/676-8087

Wortman, Warren Project Manager Potomac Research, Inc. P.O. Box 14 APG, MD 21010 301/679-3030

Yoemans, Michael S. Chief, Info. Plan. Data Mgt. Div. HWUSACE/CEIM-P 20 Massachusetts Ave. N.W. Washington, D.C. 20314 202/272-0048

Zekèrt, Jerry Architect Engineering & Housing Support Cen. ATTN: CEHSC-FP-P Bldg. 358 Ft. Belvoir, VA 22060 703/355-2001 MANAGING HAZARDOUS AND TOXIC WASTE
INFORMATION: GEOGRAPHIC INFORMATION SYSTEM (GIS) APPLICATIONS
August 8 -11, 1989
Meeting Notes prepared by Mike Yoemans
Introduction: Meeting was co-sponsored by USATHAMA and WES.
coximately 65 personnel attended the meeting. Primary focus was coordinating/sharing GIS Lab activities with emphasis on finding to better serve the field. The meeting covered a variety of

- I. Introduction: Meeting was co-sponsored by USATHAMA and WES. Approximately 65 personnel attended the meeting. Primary focus was on coordinating/sharing GIS Lab activities with emphasis on finding ways to better serve the field. The meeting covered a variety of topics to include presentations by each laboratory (THAMA, CERL, WES, CREEL, and ETL). It also included a number of vendor presentations and break-out sessions, dealing with four (4) key GIS problem areas.
- II. Key Note Speaker: Dr. Bill Klesch opened the conference by discussing the HQUSACE reorganization, which puts environmental functions into a single organization as a part of the Chief's initiative to create a greatly expanded environmental mission. He also discussed the results of a Corps-wide GIS study he led. The study was completed in Oct 88 by 32 personnel from throughout the Corps. Personnel were divided into eight (8) sub-groups. Focus was on GIS applications. The Chief has approved the study findings, briefly described below:
- A. Report recommended the creation of a technology transfer program and emphasized need for software sharing.
- B. Headquarters needs to promote GIS. There will be a GIS coordinator at headquarters, located in the Civil Works Policy and Planning Division. A GIS steering committee will be established with counterparts at districts. District representatives will be given increased visibility.

C. Sub-group recommendations:

- 1. User Needs. GIS should promote professionalism technology must work and provide a high level of credibility. GIS must be practical and flexible. GIS costs must be accurately tracked and users must be trained on proper procedures for conducting cost/benefit analysis. Users and developers of GIS are cautioned to remember that data collection is the most expensive aspect of system operations, and its a long road to system benefits. A formal GIS education program should be created. GIS must be easily accessible to all who need them.
- 2. Scoping. There are many issues related to scoping: How much data is enough? Can we afford GIS for this project? How much time do we have? To deal with these and other scoping concerns, the sub-group recommended:
- (a) Project managers should gather as much detailed information as early on in the project as possible. Data should be structured in a manner that takes into account future uses.
- (b) Standard ways of collecting data should be developed.
 - (c) Share existing data to maximum extent.

- 3. Hardware capability. Sub-group recognized the need for standard hardware, but not in the immediate future. Organizations need to get their feet wet first. As of the study completion date, there were 48 existing systems with approximately half in the FOA and the half at the Labs. Requirements need to be defined. We need to define those applications that are routinely used. The lead district concept should be applied to facilitate GIS development. A GIS training program needs to be established.
- 4. Data quality. Data must be accurate! Need to develop multi-purpose data bases. To do this data will have to be structured independent of the applications that use it. Procedures need to be developed for tracking errors (Error Budgets). Data accuracy requirements need to be defined. Policies need to be established making data quality essential to all aspects of GIS to include the R & D community.
- 5. Technology transfer. We must create opportunities for sharing technology. Top management needs to be educated. We need to find ways to promote GIS.
- 6. Cost. This is a tough issue. \$59 million spent to date. 9 districts are operational as of Oct 88. 26 districts were not operational. The study estimated that is would require \$210 k per district to get started. There are currently 35 50 packages to be evaluated. The most important point about cost is to remember that data collection is the most expensive aspect of GIS.
- 7. Software Sharing. Mehtods and procedures need to be developed for sharing software and for encouraging open architecture vendor solutions.
- 8. Inter-agency coordination. GIS data and application requirements and capabilities must be coordinated with Federal, state, and local colleges. Everyone is doing their own thing. Benchmarks have to be developed for evaluating data base structures and hardware configurations. We need to manage between GIS, CADD, and remote sensing.
- D. Bill Klesch closed his remarks by talking about how the Corps is going to deal with the toxic waste program. He indicated that the Chief thinks environmental engineering is our future. There will be a coalition between the engineering and environmental community. We are beginning to see how hazardous waste relates to civil works projects. Final word: Focus on GIS applications!! Use this information to influence vendor GIS products!!
- III. Lab presentations. Mark Bovelsky opened this portion of the conference by talking about the fragmentation of the GIS program and the need to pull it all together. This was followed by a presentation from each of the Labs.
- A. CERL. William Goran gave a good presentation on the Geographic

Resource Analysis Support System (GRASS), which has extensive land management capabilities. The software is public domain, and it is available at a cost of \$1K per package. This presentation had lots of information showing hardware configurations and existing software programs (estimated at 180 programs). This looks like a very good system -- one that should interest all FOA. Other material distributed at the conference included a GRASS Newsletter and a GIS fact sheet. Personnel interested in obtaining copies of this material or more information on GRASS should contact CERL directly.

- B. WES. Sandy Stephens lead off with the standard CADD briefing. He was followed by Al Williamson who gave a presentation on geotechnical applications. He indicated that there are 36 different applications with about 40 users. He briefly described the Computerized Environmental Resource Data System (CERDS). It was used to analyze data for 1,000 river miles. Data came primarily from existing maps. Al's talk focused on developing GIS applications to solve specific problems. He stressed that GIS applications should not become software or hardware dependent. Jack Stoll was the final WES speaker. He talked about Image Processing. He indicated that WES was actively supporting NASA's GIS upgrade. He also mentioned a specialized GIS hardware, which makes extensive use of the TCP/IP communications protocol. He emphasized the need to ensure image processing capabilities be included as a critical feature for future GIS.
- C. ETL. Bruce Opitz gave an enlightening talk on ETL's efforts to develop systems to support the soldier. He pointed out that it is quite a different problem to develop systems that must operate under battlefield conditions by soldiers who may not have graduated from high school. Bruce indicated that ETL will be purchasing large numbers of systems. They are looking to acquire off-the-self systems. Human engineering factors will play a heavy role in system selection.
- D. DMA. Mark Shellberg presented Defense Mapping Agency's initiatives to apply CD-ROM products to convert existing paper maps. They have an extensive information modernization program estimated at \$2.6 billion. There is much the Corps can learn about CD-ROM technology from DMA. Moreover, there is an extensive amount of data sharing that can and should occur between the Corps and DMA. Mark said if you want information from DMA on data holdings, lessons learned, etc., you must go through ETL (Mark Bovelsky).
- E. CRREL. Ike McKim talked about two systems: PRISM and STELIA. They feature image conversion and image processing. They seek to overcome the vector versus raster problem by allowing all data to be viewed as vector. STELIA is an object oriented program. It the first good example of object oriented programming I've seen! The system is capable of building extremely complicated models.
- IV. Vendor Presentations. Six (6) vendors made presentations as follows:

- A. DBA. Specialize in GRASS customization, data base generation, digital data input services, image processing, and image manipulation. They are establishing a Digital Cartographic Research Laboratory to look high technology for GEO-TECH.
- B. Dynamic Graphics. A software development firm featuring large software library, interactive systems for surface modeling, and 3D modeling. Graphics were exceptionally good!
- C. Autometrics. Provides on-call support for the Map Overlay Standard System (MOSS). This system was originally built in 1976. It is public domain software used extensively by the Omaha District. It is an analytical tool. It was largely redesigned in spring of 1989.
- D. Intergraph. Gave standard CADD presentation with focus on data and software integration capabilities and third party porting products.
- E. ESRI. Featured their integration tools. Good slides showing GIS integration requirements for both data and application.
- F. Current Computer Corporation. They feature real-time systems. They sell hardware, but they provide a "GIS Bundled GRASS Based system, which is operational at Little Rock District.
- V. Working Group presentations. Based on area of interest, attendees were divided into four working groups as follows:
 - A. Raster versus Vector. Group suggests:
- 1. Desire for concurrent processing of raster and vector data without having to convert back and forth.
- 2. More sharing of data. Open system architecture and standard interchange data model.
- 3. Procedures for acquiring existing data. Central Corps site for distributing data. Data acquisition policy.
- 4. Library of Corps GIS applications. Suggestion was made to use NTIS (?) and catalog of GIS software produced by USGS.
- B. Single discipline task group. Recommend broad needs for GIS development:
 - 1. Development of a GIS infrastructure.
 - Need to create GIS center similar to CADD center.
 - Technology transfer forums.
 - 4. GIS standards -- Attribute schema and symbology and

weighting criteria.

- 5. Software development requirements need to be defined.
- 6. GIS R&D support for modeling/analysis.
- 7. GIS Training program and steering committee.
- C. Planning and Marketing.
 - 1. Establish GIS Center
 - a. News Letter
 - b. E-Mail
 - 2. GIS Planning Guidelines
 - 3. Educate Management/Need copy of cost/benefit analysis
 - 4. Corps-wide GIS inventory of applications and platforms
 - 5. Army Steering Committee to develop guidelines
 - 6. Standards for sharing data
 - 7. User Groups
 - 8. Incorporate GIS planning into IMP sequence
 - 9. IM architecture should include GIS
 - 10. Include IRM Committee in GIS to extent possible
 - 11. Definition: Terms
 - 12. Policy on GIS: Should exist at planning and be funded through technical and indirect
- D. Remote Sensing: How to get data that already exists. Lower costs. Lots of land, but no information on it, and no handbook on how to collect data. Responsibility should be placed in Real Estate section. Get ACE here in future! Newly created Environmental Division.
 - Need participation in R&D to insure money is spent in right way
 - 2. Water quality factor.

SPEAKERS PRESENTATION MATERIALS

- A. NOTES FROM KEYNOTE ADDRESS
- **B. THAMA**
- C. CERL
- D. WES
- E. CRREL
- F. ETL
- G. DMA

NOTES OF KEYNOTE ADDRESS

The GIS Ad Hoc Committee: Corps of Engineers/Environmental Advisory Board, at it's 1987 March Meeting on ENVIRONMENTAL DATA recommended that the Chief of Engineers select a specialist to focus on environmental data and GIS, addressing eight areas --

- 1. Scoping
- 2. Sensitivity to user needs
- 3. Inter-model hardware consistency
- 4. Software capability
- 5. Data quality
- 6. Technology transfer
- 7. Cost
- 8. Inter-agency coordination.

September 1987 - Klesch appointed Chairman

November 1987 - Group of 32 selected and convened

Range of experience and familiarity with GIS among this 32 person

Focus on Application of GIS to Corps.

32 assigned to 8 subgroups.

Ad Hoc report completed 10/88 and forwarded to Chief of Engineers.

1. Chief has accepted and report will be printed.

RECOMMENDATIONS:

- 1. GIS Coordination at HQ OCE to reside in Policy and Planning Division.
- 2. Establish Steering Committee of Division Chiefs
- 3. GIS Coordinators at Districts/Divisions but needs visibility to cut across Division activities.

SENSITIVITY TO USER NEEDS --

- Professional Credibility tools actively support mission
- Practicality
- Flexible lots of different professionals
- Accurate cost information
- Education & Accessibility need training opportunities.

SCOPING - How much data is enough.

- Detail required tied to investigation
- Gather most detailed information needed
- as soon as possible.
- Development of standardized materials for data collection.

HARDWARE AND SOFTWARE CONSISTENCY

- Lots of discussion compelling argument for standarization but recommended that standardization be postponed why diversity of current use.
 - Recommend offices should develop multi-year plan for GIS implementation and use.
- Recommend use expertise in place at certain districts, especially on regional basis, to respond to specialized or regional Corps needs.
 - Recommend training program.

DATA QUALITY -

Data is greatest cost - data quality is critical

- Anticipate future needs in developing data rather than short term.
- Procedure to tract error propagation.
- More involvement with Federal inter-agency committee

TECHNOLOGY TRANSFER --

- Need for effective communication
- Technology awareness within the Corps Senior Leadership Match aware of this technology area.
 - Timely and accurate information and systems acquisition
 - Need program of GIS training to reach at least one at each site

COST --

- In 1988 -- 48 systems in place -- Cost = 5.6M
- Required to add other districts -- Cost = 5.7M (26 districts without capabilities)

INTERAGENCY - COORDINATION --

- Use of GIS grown dramatically in last four years
- Data exchange and system capabilities problems abound
- Need -- benchmarks for scale, quality.
- Draw together Remote Sensing and GIS


Regarding Hazardous and toxic waste data management, the COE's Chief's emphasis is on water resource issues and environment. Corps as an environmental agency to seek solutions for the engineering and environmental community. GIS offers great applications for hazardous and toxic waste management as a tool for COE.





THE GRASS USER COMMUNITY

Federal Agencies
State & Local Governments
Educational Institutions
Private Firms
Foreign-based Organizations



FEDERAL ORGANIZATIONS USING GRASS

U.S. Army Installations

Corps of Engineers Districts, Divisions & Labs

Soil Conservation Service

National Park Service

U.S. Geological Survey

U.S. Navy

Department of Energy

National Aeronautic & Space Administration

National Oceanographic & Atmospheric Admin.

Defense Mapping Agency

U.S. Forest Service

U.S. Air Force

Agricultural Research Service

ARMY INSTALLATIONS **USING GRASS**

Current:

Fort Hood, TX
Fort Lewis, WA
Fort Carson, CO
Yakima Firing Center, WA
Hohenfels Trn'g Area, FRG
Camp Ripley, MN
Headquarters NGB, MD

Planned:

* Fort Belvoir, VA
Fort Polk, LA
Fort Bliss, TX
Fort McClellan, AL
Fort Chaffee, AR
Fort Knox, KY
Fort Sill, OK
Fort Leonard Wood, MO
Orchard Trn'g Range, ID

CORPS SITES USING GRASS

Current:

Fort Worth
Little Rock
Rock Island
St. Paul
CERL
ETL

Planned:

* Chicago
Mobile
* New Orleans
Omaha
Portland
St. Louis
Tulsa
Vicksburg
Walla Walla
New England Division
Southwest Division
CRREL

GRASS DEVELOPMENT

Government-developed, Public Domain

Multi-Agency Participation

Portable, Multi-Host

Open Design Philosophy

HARDWARE PLATFORMS RUNNING GRASS

APOLLO

AT&T 3B2

AT&T 6386

COMPAQ 38

COMPAQ 386
DELL 386
HP 9000
IBM-RT

INTERGRAPH INTERPRO MASSCOMP

OPUS PC-TEKTRONIX

PC CLIPPER

TEKTRONIX WORKSTATIONS SILICON GRAPHICS IRIS

SUN (3's, 4's & 386i)

APPLE MACINTOSH II

XAX

INSTITUTIONAL STRUCTURES GUIDING GROWTH

GRASS Inter-Agency Steering Committee

Annual GRASS User Group Meeting

GRASS Distribution & Support Centers

ITD/SRSC

DBA Systems

Central Washington University

USACERL

Soil Conservation Service

National Park Service

GRASS Training Courses

GRASS Software Documentation

Quarterly GRASS Newsletter

DOCUMENTATION SUPPORTING GRASS/GIS IMPLEMENTATION

GRASS USER'S REFERENCE MANUAL GRASS PROGRAMMER'S MANUAL GRASSCLIPPINGS NEWSLETTER

GRASS USER'S GUIDE - APPLICATION EXAMPLES ON INVESTMENT STUDY FOR GRASS METHODOLOGY FOR PERFORMING A RETURN GRASS PROBLEM-SOVING MANUAL GRASS IMPLEMENTATION GUIDE GRASS APPLICATIONS GUIDE

MOMS amal ysis THE LAND

STAFF AND ORGANIZATION

Subgroups Software Design

Cartography and Data Development

Analysis and Applications

Technology Transfer

Technical Disciplines

Archaeology

Computer Science Forestry Geography

Geography Landscape Architecture

Mathematics Soil Science Urban Planning

amous Beautiful THIE LAWD AWAL YSUS

HARDWARE

Communications & Documentation Pyramid 90x

4/110 Sun 4/280 Sun GIS Equipment:

Masscomp 5450 Masscomp 5500

3/60 (6) M 386i (2) In

Sun

Sun

Masscomp 500 Interpro 240 Compaq 386/25

Com

Sun 150 (2)

Compaq 386/16 Apple Mac IIx

Diaitizers: A

Altek, Calcomp (2), Geographics (2), Kurta

Output Devices:

Calcomp 1043 (plotter) Imagen (laser printer)

Tektronix (ink jet) Shinko (thermal)

All machines linked via NFS over ethernet.

GROUP GROUP THE LAND AWALYSIS

SOFTWARE

GRASS	GIS and Image Processing	VICAR, ERDAS	Image Processing
MAPGEN	Cartographic Output		Statistical Packade
Intergraph	Intergraph Digital Terrain Model and CADD		Cultural Resource Mamt
ETIS	Soils Information System		

RIM, Oracle

AutoCAD

Transportable Application

Executive

Window/Graphics Interface

Empress,

Environmental Legislative System Bulletin Boards (GISTALK, CRIBB)

AWAL YSIS GROUP THE LAWD

GRASS/GIS RELATED SERVICES

- Introductory Information on GRASS and GRASS Applications
- Distribution of Software and Documentation
- Hardware Configuration and/or Acquisition Information
- On-site Installation of Software and Hardware
- Telephone Support for Software
- Data Acquisitions Assistance
- Data Conversions between various Formats and Media
- Data Digitizing
- Applications and Data Analysis Assistance and Services
- New Drivers for Hardcopy Devices, Digitizers, and Display Devices
- Hardware System Management Support
- Networking Consultation and Guidance

GRASS ANALYTICAL FUNCTIONS

Analytical Tools:

Boolean Overlays
Weighted Overlays
Inference "Rule-Based"
Grid Cell Math Calculations
Image Classification
Distance Zones
Neighborhood Filters
Mask Creation
Coincidence Tabulation
Raster/Vector Conversions
Area Calculations
Reclassification

Analytical Models:

Trajectory Analysis
Watershed Dynamics
Noise Contours
Erosion Prediction
Site Evaluation
Damage Assessment
Corridor Selection
Site Allocation
Site Prediction

GRASS MAPPING FUNCTIONS


- Vector Digitizing, Edit & Display
- Raster 2-D and 3-D Display
- Site Display & Analysis
- Labeling & Legends
- Raster Hardcopy Devices:

Ink Jet
Thermal
Impact
Electrostatic

• Input of Data from:

DMA DTED
USGS DEM
USGS DLG
SPOT
Landsat MSS & TM
Commercial Formats

Hardcopy Maps



WES

DENVER GIS PRESENTATION (WEDNESDAY AUGUST 9)

August 4, 1989 12:22pm

Subject: Managing Hazardous and Toxic Wastes - GIS Applications

SLIDE 1

INTRODUCTION

SLIDE 2

PROBLEM - MULTI-PLATFORMS

SLIDE 3

COMMON DATA BASE

SLIDE 4

CONTRACT COMPONENTS

APPLICATION SOFTWARE

SLIDE 6

CADD AUTHORITY

SLIDE 7

CADD FACTS

SLIDE 8

MAX RETURN / MIN TIME

SLIDE 9

CADD CENTER

OBJECTIVES

IMPLEMENTATION COORDINATION INTEGRATION TRAINING

SLIDE 11

IMPLEMENTION

IDENTIFY H/W & S/W FOR APPLICATIONS
H/W & S/W ADVANTAGES/DISADVANTAGES
PROMOTE ENHANCEMENTS/MODIFICATIONS
IDENTIFY STD H/W FOR DATA EXCHANGE/SUPPORT

SLIDE 12

COORDINATION

IDENTIFY AREAS OF EXPERTISE PROMOTE SHARING OF LESSONS LEARNED SOLICIT SUPPORT FROM MANAGEMENT ENHANCE EXCHANGE OF DATA

SLIDE 13

INTEGRATION

INTEGRATION BLOCK

SLIDE 15

INTEGRATION

AUTOMATE THE DESIGN PROCESS
ESTABLISH STD FORMATE FOR GRAPHICS/DB/OBJECTS
STANDARDIZE DATA CONVERSION
(SURVEYS, MAPPING, & ANALYSIS)
DEVELOP INTERFACES TO OTHER PROGRAMS

SLIDE 16

TRAINING

ENHANCE EXISTING TRAINING
DEVELOP ADVANCED/SPECIALIZED APPLICATIONS

SLIDE 17

CADD CTR DIAGRAM

RELATIONSHIP OF CADD/GIS

DIFFERENCES
OBJECT-ORIENTED
SPATIAL ANALYSIS
SIMILARITIES
GRAPHIC DISPLAY
DATA BASE ATTRIBUTES
DATA ANALYSIS

SLIDE 19

CADD/GIS USES

REAL ESTATE (LEASES/OWNERSHIPS)
TERRAIN MODELS
COORDINATE DATA/ANALYSIS
HYDROGRAPHIC BASIN ANALYSIS
LAND USE MODELING/ANALYSIS
EROSION & INFILTRATION ANALYSIS
URBAN PLANNING & ASSESSMENT
UTILITY LAYOUTS & PLANNING

SLIDE 20

KINGS BAY TITLE

KINGS ROCK CONTOURS

SLIDE 22

KINGS AFTER SURVEY

SLIDE 23

KINGS AFTER SURVEY

SLIDE 24

FORT BENING

SLIDE 25

FORT BENING FLOW VECTORS

FORT BENING PLAN VIEW

SLIDE 27

FORT BENING EXPANDED VIEW

SLIDE 28

TINKER NAVY HANGER

SLIDE 29

TINKER MASTER PLAN

SLIDE 30

TINKER MP/SURVEY

TINKER FLOOR PLAN

SLIDE 32

TINKER STRUCTURAL MODEL

SLIDE 33

TINKER 3D MODEL

SLIDE 34

TINKER 3D MODEL

CADD CTR SUPPORT (Conclusions)

APPLY ADVANTAGES OF CADD TO GIS DIGITAL MAPPING CAPABILITIES INTEGRATE EXISTING DATA BASES ENHANCE OUTPUT DISPLAY OF DATA



COMPUTER-AIDED DESIGN and DRAFTING (CADD) CENTER



To enable the Corps of Engineers to achieve the best use of CADD within the shortest time frame.

The CADD Center is the Corps vehicle for sharing information and development work and minimizing duplication of effort while retaining local automonies and decentralized organizational structures.

MODE OF OPERATION

The Center is an end-user driven, technology transfer oriented organization. Single-Discipline Task Groups (SDTG) are formed under headquarters guidance to get field office grass roots input into CADD activities. A Field Technical Advisory Group (FTAG) provides the guidance to the Center.

To integrate and implement CADD by:


- Furnishing technical advice Conducting training
- Evaluating products
 Providing advisory teams

- Initiating studies
- Promoting communications Distributing products

ORGANIZATIONAL CHART

HOUSACE ITL

FUNCTIONAL CHART



FTAG - FIELD TECHNICAL ADVISORY GROUP SDTG - SINGLE DISCIPLINE TASK GROUP

CADD Center Points of Contact	
Information Technology Laboratory	CEWES-IM-Z
Chief, Dr. N. Radhakrishnan	(601) 634-2527
Computer-Aided Engineering Division	CEWES-IM-D
Chief, Dr. Ed Middleton	(601) 634-4020
CADD Center	CEWES-IM-DA
Chief, Mr. Sandy Stephens	(601) 634-2945
Mr. John Hood	(601) 634-3138
Mr. Richard Bradley	(601) 634-2286
CPT Mike Conrad	(601) 634-2947

"GUIDED BY THE FIELD"



US Army Corps of Engineers **CADD** Center Information Technology Laboratory Waterways Experiment Station PO Box 631 Vicksburg, Mississippi 39181-0631

Office Symbol: CEWES-IM-DA Ontyme: CEWE.S-IM-DA (601) 634-4109 1-800-LAB-6WES




OBJECTIVES




O COORDINATION

OINTEGRATION

O TRAINING








IMPLEMENTATION

O IDENTIFY H/W & S/W FOR APPLICATIONS

O H/W & S/W ADVANTAGES/DISADVANTAGES

PROMOTE ENHANCEMENTS/MODIFICATIONS

O IDENTIFY STD H/W FOR DATA EXCHANGE/SUPPORT




COORDINATION

OIDENTIFY AREAS OF EXPERTISE

O PROMOTE SHARING OF LESSONS LEARNED

SOLICIT SUPPORT FROM MANAGEMENT

O ENHANCE EXCHANGE OF DATA



INTEGRATION


- O AUTOMATE THE DESIGN PROCESS
- **ESTABLISH STD FORMATE FOR** GRAPHICS/DB/OBJECTS
- STANDARDIZE DATA CONVERSION
- O SURVEYS, MAPPING, & ANALYSIS
- O DEVELOP INTERFACES TO OTHER **PROGRAMS**

TRAINING



O DEVELOP ADVANCED/SPECIALIZED APPLICATIONS






(HAZARDOUS & TOXIC USES) CADD/GIS

- O REAL ESTATE (LEASES/OWNERSHIPS)
- **O TERRAIN MODELS**
- O COORDINATE DATA/ANALYSIS
- O HYDROGRAPHIC BASIN ANALYSIS
- **OLAND USE MODELING/ANALYSIS**
- **O EROSION & INFILTRATON ANALYSIS**
- O URBAN PLANNING & ASSESSMENT
- **UTILITY LAYOUTS & PLANNING**



CADD CENTER GIS SUPPORT

- O APPLY ADVANTAGES OF CADD TO GIS
- O DIGITAL MAPPING CAPABILITIES
- **OINTEGRATE EXISTING DATA BASES**
- O ENHANCE OUTPUT DISPLAY OF DATA



POTENTIAL GROUPS

- O HYDRAULICS & HYDROLOGY
- O REAL ESTATE
- **OPERATIONS**
- O DEH

DENVER GIS PRESENTATION (FRIDAY AUGUST 11)

August 4, 1989 12:22pm

SLIDE 1

INTRODUCTION

SLIDE 2

CONCEPTS TO CONSIDER

FUNCTIONALITY COSTS

SLIDE 3

COMPATIBLE DATA

SLIDE 4

MULTIPLE PLATFORMS

HARDWARE/SOFTWARE SUPPORT

SLIDE 6

ADDITIONAL CONCEPTS TO CONSIDER


EXISTING H/W & S/W
INPUT/OUTPUT DEVICES
ADP PROGRAMMING SUPPORT
H/W & S/W SUPPORT
MAINTENANCE
TRAINING PERSONNEL


SLIDE 7


TYPES OF R&D PROJECTS

SINGLE APPLICATION
MULTIPLE APPLICATIONS
HOW TO APPLY ANALYSIS
FOA'S TECHNICAL ABILITIES
PERSONAL AVAILABLE
EXISTING EQUIPMENT
DATA INPUT REQUIREMENTS


TYPES OF R&D PROJECTS








CONCEPTS TO CONSIDER




FUNCTIONALITY

O COSTS



ADDITIONAL CONCEPTS TO CONSIDER

- O EXISTING H/W & S/W
- O INPUT/OUTPUT DEVICES
- O ADP PROGRAMMING SUPPORT
- O H/W & S/W SUPPORT
- **O MAINTENANCE**
- O TRAINING PERSONNEL




TYPES OF R&D PROJECTS



O MULTIPLE APPLICATIONS

- O HOW TO APPLY ANALYSIS
- O FOA'S TECHNICAL ABILITIES
 O PERSONNEL AVAILABLE
- O EXISTING EQUIPMENT
- O DATA INPUT REQUIREMENTS



PERSPECTIVE/OBJECTIVES **ABORATORY**

- **OBASIC RESEARCH**
- O APPLIED RESEARCH
- O BALANCE
- O PRESENT REQUIREMENTS
- O 3-5 YEAR OBJECTIVES

Demonstration of Prism and Stella Software for the Corps of Engineers Toxic and Hazardous Waste Management Program

bу

Alan Cassell, Perry LaPotin, Harlan McKim
Cold Regions Research and Engineering Laboratory
72 Lyme Road
Hanover, NH 03755-1290

Brief Description of presentation

given at

Meeting on

Managing Hazardous and Toxic Waste Information: GIS Applications
Denver, CO

August 8-11, 1989

The movement of toxic and hazardous materials through soil systems is a function of the pattern of water movement through the soil matrix and the physical/chemical interactions between the soil particles and the hazardous material itself. Given the spatially variable nature of soil systems, the dynamic transport characteristics of the waste material also vary spatially. The formulation and use of models to predict the spatially variable behavior of waste movement in such complex systems has been difficult and largely unavailable to operating agencies.

STELLA is an object oriented programming environment that operates on the Macintosh computer. STELLA is specifically designed to simulate dynamic systems and is well adapted to model intractive networks. STELLA is a commercially available software package in which the user creates structural diagrams on the screen that describes the dynamic system of interest. Thus models based on interacting differential equations with constant and variable coefficients are rapidly and easily created and tested. This demonstration shows a STELLA model that simulates the movement of a toxic and hazardous material through a spatially variable two dimensional soil system. The output from the STELLA model serves as input to additional software that provides high quality animation of the simulated movement of waste over time through the network. The total effort required to produce this complex model and sophisticated output was less than two days.

Figure 1 shows the structural diagram of the simplified spatial model. The rectangular structures accumulate the waste over time that flows into and out of each rectangle through the pipelines. The circular structures attached to each pipeline (controllers) contain the logic that regulates the flow-rate in each pipeline. In the model, each rectangle can be thought of as representing a pixel (or some unit of land area). Since each rectangle is attached (through the connecting pipelines) to adjacent rectangles, the condition in any one rectangle at any time is interactively reflected in adjacent rectangles (or areas). Thus a truly interactive two-dimensional system has been created.

The simulation is started by initiating water flow through the pipelines into the network from the left side of the network. High concentrations of waste was assumed to exist in rectangle 32 at time zero (i.e. a simulated waste site). Additionally, at times of 40 and

110 units into the simulation run, a slug input of waste was assumed to enter the system through controller IN 3.

Figures 2 and 3 show the dynamic simulations relationship of the relative waste concentrations in each rectangle (or for each area) versus elapsed time. Figure 2 shows the propagation of the waste through the system along the longitudinal axis, whereas Figure 3 depicts movement along the transverse axis. The model clearly shows the dynamic nature of both longitudinal and transverse dispersion as the waste moves through the system. While this unverified model is based on simple washout dynamics in two dimension, with additional research it will be possible to develop and verify such models that can operate in 3 dimensions while at the same time incorporating appropriate algorithms that describe unsaturated and saturated flow conditions and soil/contaminant interaction reactions.




Figure 1. Simplified Dynamic Spatial Model




Figure 2. Longitudinal Waste Propagation




Figure 3. Transverse Waste Propagation



ETL ACTIVITIES IN GIS

GIS EVALUATION

DTSS

ALBE

ARMY GIS EVALUATION

STUDY PERFORMANCE CONSIDERATIONS OF OFF-THE-SHELF GIS'S SYSTEMS LOANED TO ETL FOR R&D EVALUATION ON COST-REIMBURSABLE BASIS

CONCENTRATE ON ENGINEERING WORKSTATIONS & DESKTOP MICROS

ARMY GIS EVALUATION

ADVANTAGES TO GOVERNMENT

PROVIDES SUPPORT FOR NUMEROUS PROJECTS & APPLICATIONS ENHANCES GOVERNMENT KNOWLEDGE BASE

ENABLES GOVERNMENT TO MAINTAIN "SMART BUYER" STATURE

INCURS MINIMAL COSTS

PROJECTS WITH GIS REOUIREMENTS AT ETL

Commander's Aid for Reasoning About Terrain (CARAT)

Expert System for Minefield Site Detection 6.1

Advanced Digital Radar Image Exploitation System (ADRIES) 6.1-6.2

*Army 61S Evaluation 6.2

*Soldier-to-61S Interface Research

Brigade Integration of Digital Data

Computer Image Generation Facility

DTSS Softcopy Image Exploitation Research

Terrain Information Extraction System (TIES)

6.2 - 0MB **TAC Modernized Production Facility**

ALBE Terrain Demonstration System

Digital Topographic Support System (DTSS)

E E E DMA Digital Data Demonstration System

ARMY GIS EVALUATION PREREQUISITES

DEVELOPMENT OF PRELIMINARY (BASELINE) REQUIREMENTS

FORMULATION OF PERFORMANCE STANDARDS FOR REQ'S

DEVELOPMENT OF EVALUATION CRITERIA - BENCHMARKS

ACQUISITION OR SYNTHESIS OF GIS DATA BASES FOR TESTS

GIS PERFORMANCE STANDARDS

ACCURACY

MAP ACCURACY STANDARDS

DATA QUALITY REQUIREMENTS

FUNCTIONAL COMPLETENESS

CONSISTENCY OF RESULTS

TIME

SKILL DEVELOPMENT TIME

USER SPEED OF PERFORMANCE

MACHINE PROCESSING TIME

UTILITY

USER SATISFACTION

EFFICIENCY OF SYSTEM OPERATION

USEFULNESS OF PRODUCT GENERATED

GIS BENCHMARKS

USER INTERFACE

SKILL ACQUISITION TIME REVERSABILITY OF OPERATIONS

DISPLAY & PRODUCT GENERATION

ACCURACY OF PLOT / SCALING TIME TO ASSIGN & PLOT CORRELATION BETWEEN DISPLAY

DATA BASE CREATION / DATA ENTRY

TIME / STEPS TO SET UP TIME TO DIGITIZE ERROR DETECTION

SYSTEM/ DATA BASE MANAGEMENT

DATA BASE UPDATE PROCEDURES QUERY CAPABILITY EASE & LIMITS ATTRIBUTE LOADING & EDITING

ANALYSIS & MANIPULATION

TERRAIN MODELING SIMULATIONS

BOOLEAN OVERLAY ACCURACIES & TIME

EASE OF WRITING/ IMPLEMENTING MACROS

ACCURACY OF MEASUREMENTS

GENERATION OF BUFFER ZONES

ABILITY TO CONVEY RELATIONSHIPS BETWEEN

FEATURES & ENTITIES

PROJECTION TRANSFORMATION ACCURACIES

UNIT CONVERSION ACCURACIES

GIS PROBLEM AREAS

USER INTERFACE

SKILL ACQUISTTION TOO LENGTHY
OVER RELIANCE ON USER'S MEMORY
LIMITED SENSE OF LOCUS OF CONTROL
LACK OF FORGIVENESS IN OPERATIONS

DISPLAY & PRODUCT GENERATION

CARTOGRAPHIC CAPABILITIES CRUDE LIMITED SUITE OF OUTPUT DEVICES

SYSTEM/ DATA BASE MANAGEMENT

INTEGRITY OF DATA BASE NOT GUARDED QUERY CAPABILITY LIMITED ATTRIBUTE HANDLING INADEQUATE LINKS BETWEEN GRAPHIC & ATTRIBUTES CUMBER SOME

DATA BASE CREATION / DATA ENTRY

DATA BASE CREATION TOO TIME CONSUMING EDITING PROCESS CUMBERSOME DATA QUALITY CHECKS LIMITED

ANALYSIS & MANIPULATION

INCONSISTENT RESULTS IN SPATIAL ANALYSIS FUNCTIONS COMPLEX MODELS DIFFICULT TO IMPLEMENT **EXECUTION TIMES TOO LONG**

Digital Topographic Support System (DTSS)

DATA

CARTO


IMAGERY

WEATHER

CLIMATE

SUPPORTING DATA

DATA SOURCES




GENERATES TERRAIN ANALYSIS PRODUCTS
 REGISTERED TO MAP DATA

- Intervisibility Models
- **Mobility Models**
- **Environmental Models**
- Special Purpose Models
- MAINTAINS TERRAIN DATA BASES
- **UPDATES TERRAIN DATA BASES**
- SUPPORTS BATTLEFIELD OPERATIONS AT EAC, CORPS, AND DIVISION







PRODUCT SAMPLES

DIGITAL TOPOGRAPHIC SUPPORT SYSTEM

SOFTWARE

- MAN-MACHINE INTERFACE
- · Windows to software functions
- Tailored for Terrain Analyst
- Human Factored
- GEOGRAPHIC INFORMATION SYSTEM
- ARC/INFO/TIN ESRI
- Data Manipulation
- Data Base Creation, Revision, Update
- Utilities Input/Output, Display, Seals, ete
- SYSTEM SUPERVISOR
- Task Centrel
- Resource Management
- APPLICATIONS SOFTWARE
- Intervisibility
 - Mobility
- ENVIRONMENTAL MODELS
- SPECIAL PURPOSE PRODUCT BUILDER

DIGITAL TOPOGRAPHIC SUPPORT SYSTEM

SPECIAL PURPOSE PRODUCT BUILDER (SPPB)

1. AD HOC (SPECIAL) PRODUCT GENERATION

Airstrip Site Selection

Potential Bivouac Sites

Bridge Bypass Potentia

Lines of Communication

River Crossing

Air Avenues of Approach

2. SYMBOLIZATION/ATTRIBUTE MODELING/PROXIMITY ANALYSIS

3. COMBINATION PRODUCTS (STACKING)

FOREGROUND

BACKGROUND

Cross Country Movement

Concesiment

Helicopter Landing Zene Drop Zone Path Loss/Line of Sight

Flight Line Masking

farget Acquisition **Masked Area Plot**

f11

ALBE TECHNOLOGY DEMONSTRATIONS


Army Technology Demonstration Program Project DT08 P.E. 0603734A, DESCRIPTION:

U.S. Army Corps of Engineers **MANAGED BY:** EXECUTED BY: U.S. Army Engineer Topographic Laboratories

PARTICIPANTS: Atmospheric Sciences Laboratory (AMC/LABCOM) Cold Regions Research and Engineering Laboratory

Engineer Topographic Laboratories

Waterways Experiment Station





ALBE GIS

S
_
⋖
0
Ū

Provide required functions to TDA Programmers

DESIGN DECISIONS

Library of GIS subroutines callable from Fortran, C

Consistent user interaction and graphics standards across all ALBE components

Use of ALBE User Interface and Graphic (GKS) libraries throughout the GIS

Avoid tying up workstation during lengthy computations

Optional batch utilities for time-consuming GIS functions

GOALS

Ability to query and retrieve data related to GIS objects from a DBMS

DESIGN DECISIONS

GIS "loosely coupled" to DBMS databases via a relation to associate GIS object IDs to DBMS record keys

Ability to create and operate user-defined GIS databases in self-contained mode (without a DBMS)

- 1) Optional storage of up to 63 GIS attributes per vector object in GIS data structures
- 2) Attribute dictionary to define and describe attributes

GOALS

DESIGN DECISION

Rapid response to most map query, manipulation, and display requests

Capacity to load and maintain large map data sets in internal data arrays

Ability to manipulate and display vector and cell data (incl. raster images) concurrently

Concurrent internal vector and cell data storage structures and logical overlay software

Ability to change level of display detail based on scale of display

Automatic map decluttering capability with user-selectable parameters

ALBE GIS INTERNAL DATA

CELL/RASTER

VECTOR

ONE ATTRIBUTE PER FILE

OBJECT TYPES: LABEL POINT

> CELL OR RASTER (GRID) REPRESENTATION

NODE ARC

POLYGON

COMPLEX OBJECT

DATA TYPES:

DICHOTOMOUS

DISCRETE CATEGORICAL
DISCRETE ORDERED
CONTINUOUS

INFORMATION CONTENT:

SPATIAL TOPOLOGICAL

GRAPHICAL

DESCRIPTIVE

STORED IN COORDINATES
OF SPECIFIED MAP
PROJECTION



ALDE GIS 2.0



- STATE-OF-THE-ART TECHNOLOGY *
- HIND OF AMS, MOSS, MAPS, AND BATTELLE DISCART FUNCTIONALITY
- CONCUMENT VECTOR AND CELL PROCESSING
- * NELATIONAL DATABASE

DEFENSE MAPPING AGENCY

MARK SHELBERG DEFENSE MAPPING AGENCY SYSTEMS CENTER ST. LOUIS, MISSOURI

OPTICAL DISC INITIATIVE PROJECT LEADER

(314) 263-4486

WHO IS THE DEFENSE MAPPING AGENCY

- Enhance national security and support our strategy of
 deterrence by producing and distributing to the Joint
 Chiefs of Staff, Unified and Specified Commands,
 Military Departments and other DoD users, timely
 and uniquely-tailored mapping, charting, and geodetic
 products, services, and training
- Insure our war-fighting forces have available to them effective mapping, charting, and geodetic support should our strategy of deterrence fail
- Provide nautical charts and marine navigational data to worldwide merchant marine and private vessel operators
- Employs nearly 9,000 people in more than 50 locations around the world

OPTICAL DISC GOALS

Assistant Secretary of Defense Latham's Guidance

- "... develop a standard data specification in response to [Aircraft] Moving Map Display information requirements ..."
- "... take the lead in establishing a DoD optical disc standard ..." for Mapping, Charting and Geodetic (MC&G) data
- " ... explore which additional MC&G information sets are appropriate for exchange via optical disc ..."

DIGITAL RASTER MAP DATA SPECIFICATION

ARC Digitized Raster Graphics (ADRG)

- 250 lines per inch (100 microns)

- 24 bits color (8 bits Red, Green, Blue)

Data on Equal Arc-Second Raster Chart/Map (ARC)
 Projection System

- Status of Specification - Final Version: April 1989

OPTICAL DISC STANDARD

DMA'S Decision In Selecting CD-ROM Was Based On:

Available standards
 Physical - ECMA and Yellow Book
 Logical - ISO 9660 (High Sierra)

- Non-proprietary technology
- Cost and availability of media and hardware
- Excellent mass distribution media

PROTOTYPE DEVELOPMENT

ADRG Production Prototype

- Contains:

Disc#1 - JOG-As # NI 11-2,3,5,6

over China Lake

Disc#2 - TLMs # 6446 I,II,III,IV over the Fort Hood area

Disc#3 - TPC G-18B over China

- ake

- Distribution Schedule

Disc#1 - 31 October 1988

Disc#2 - 15 November 1988

Disc#3 - 14 April 1989

γ - α5

ADRG PRODUCTION PLANS

 FY 89 Production about 1800 map sheets (460 CD-ROMs) - Post FY 89 Production about 1200 to 2000 sheets per year

FY 89 Production areas:
 ONCs, TPCs and JOGs over the U.S.
 JOG-Gs and TLMs over Germany

Planned FY 90 Production areas:
 Complete the ONCs and TPCs worldwide
 Limited JOGs and TLMs
 Maybe GNCs and JNCs

DIGITAL TERRAIN ELEVATION DATA (DTED) ON CD-ROM

- DTED consists of a uniform matrix of terrain elevation values spaced every 3 ARC seconds
- CD-ROM will contain DTED, Digital Mean Elevation Data

 (a more coarsely spaced elevation matrix) and a
 gazetter
- Two prototypes issued and evaluated
- Production implementation in process
- All DMA data on CD-ROM by middle of 1990

WORLD VECTOR SHORELINE

- Vector data base format

- Shoreline at 1:250,000

- Political boundaries from 1:1,000,000 chart source

- Prototype produced in May 1989

ADDITIONAL DIGITAL DATA ACTIVITIES

- Digital Feature Analysis Data (DFAD)

- Digital Chart of the World (1:1 million fully attributed vector data base

- Electronic Chart Update Manual

- Tactical Terrain Data

THE FUTURE

- DMA is committed to CD-ROMs for distribution of most if its digital product data
- CD-ROM is a good potential for other products eg. DMA catalogs and DMA product specifications
- DMA continues to track other media for use when appropriate such as WORM and erasable optical disks

CD-ROM IMPLEMENTATION STEPS

- Feasibility study
- System design
- Data requirements
- Product specification
- Data creation and preparation
- System simulation
- Premastering
- Mastering and replication
- Packaging, documentation, marketing and distribution

LESSONS LEARNED

- Use available standards
- If you are not an expert, get someone who is
- Know your users and their systems
- Develop a good data structure
- Use/Copy examples
- Generate prototypes, release data early on magnetic tape if possible
- The mastering/replication phase is the easiest except if your artwork is not on time or it is wrong

VENDORS & UNIVERSITY PRESENTATION MATERIALS

- A. DBA
- **B. AUTOMETRICS**
- C. PURDUE UNIVERSITY
- D. ESRI



DBA SYSTEMS, INC.

DBA GIS EXPERIENCE

GRASS GIS

AIRLAND BATTLE ENVIRONMENT/GIS

GEO-INTEL





GRASS GIS SUPPORT SERVICES

DBA GRASS WORKSTATION SUPPORT

- SUN 3, SUN 4, SUN386i
- **TEKTRONIX 43xx**
- TURNKEY SYSTEMS

SOFTWARE DISTRIBUTION

- INSTALLATION
- TRAINING

TECHNICAL SUPPORT

- GRASSNET CONNECTION
- TELEPHONE CONSULTATION
- **CUSTOM ENHANCEMENTS**



DATA BASE GENERATION

DATA INPUT - HARDCOPY TO RASTER

IMAGE SCANNING

DBA DESIGNS AND MANUFACTURES HIGH RESOLUTION IMAGE SCANNERS

- 20K CCD LINEAR ARRAY SENSORS
- **RESOLUTION 11 MICRONS AT 12 BITS/PIXEL**
- ABILITY TO SCAN 20K X 20K IMAGE IN LESS THAN TWO MINUTES
- ACCOMODATES ROLL AND FLAT FILM BARCODE SCANNER
- 9" X 9" FORMAT

DBA MANUFACTURES MEDIUM RESOLUTION IMAGE SCANNERS

- SK SINGLE CCD CHIP LINEAR ARRAY
 - 35 AND 70 MICRON RESOLUTION
- 7" X 17" AND 14" X 17" FORMATS

MAP SCANNING

DBA SCANS HARDCOPY MAPS AND IMAGERY AT VARIOUS SCALES AMD RESOLUTIONS

- 25 250 MICRONS
- COLOR COMPRESSION
- DATA WARPING



DATA BASE GENERATION

DATA INPUT - DIGITAL DATA PRODUCTS

DATA TRANSFORMATIONS

DATA ENHANCEMENTS

DATA INTEGRATION

DATA COMPRESSION

DATA FORMATTING

DATA CONVERSIONS

RASTER TO VECTOR

VECTOR TO RASTER

COORDINATE CONVERSIONS

HARDCOPY TO VECTOR COMPILATION

DATA BASE EXPLOITATION

IMAGE PROCESSING

SENSOR MODELLING AND TRIANGULATION

RECTIFICATION/ORTHORECTIFICATION

AUTOMATED MOSAICKING

RADIOMETRIC BALANCING





DATA BASE EXPLOITATION

IMAGE MANIPULATION

- DATA INCLUSION
- DATA EXCLUSION
- DATA EXTRACTION
- TERRAIN DATA/MICRO RELIEF
- HIGH RESOLUTION FEATURE DATA

DATA EDIT/ENHANCEMENT

APPLICATION SOFTWARE

DATA BASE MANAGEMENT



DIGITAL CARTOGRAPHIC RESEARCH LABORATORY

CAPABILITIES DEVELOPMENT OVERVIEW


PRODUCTION		GEO-INTEL	GEO-INTEL CAPABILITIES		
DATA	DATA	DATA	MANAGEMENT/	DATA E DATA DATA MANAGEMENT/ APPLICATIONS OUTPUT	ourror
TOWN	INTEGRATION	PERIVATION.	MAINTENANCE	MAINTENANCE	
Image Scanning	Common Data Base	Micro Relief	Basic Functions	Geopositioning	Software
Map Scanning	Tiling	High Res Features	Temporal Mgmt	Perspective Scene	Workstations
Raster to Vector	Warping	Images as Maps		Real Time	Media
Color Separation	Deta Fusion	Rectification		Cultural	CD ROM
Leser-Scan Functions	Overlays	Orthophotos		Sensor Prediction	Video
Feature Attributing	Inclusion	Tactical Rect.		Tailored Output	Hardcopy
New Sources	Exclusion	AI Techniques		Functional Use	
Multi-Spectral	GIS Functions			AI Techniques	
SAR	AI Techniques				
			-		



Bruce W. Morse, Ph.D.


Principal Scientist
Director Western Operations

CORPORATE 5301 Shawnee Road Alexandria, Virginia 22312-2312 703-658-4000 Western Operations Office 165 So. Union Blvd. Suite 902 Lakewood, Colorado 80228-2214 (303) 989-6377



UNCLASSIFIED

SIMULATION AND MODELINI SYSTEM ENGINEERING SYSTEM INTEGRATION Sinissedolid al Emerica TECHNOLOGY SIGNAL PROIDESSING SYSTEMS REAL-TIME COMMUNICATIONS GROUP Hutometric SOFTWARE METHODOLOGIES INTELLIGENCE ANALYSIS OPERATIONS: CONCEPTS MULTISENSOF TRAINING GOLINITE TO SECUTION & **ANALYSIS** SENSOR **GROUND TRUTHING** MAGEEY ANALYSIS GROUP MULTISPECTRAL PROCESSING GEOGHAPHIC INFORMATION SYSTEMS COLLEGION MANAGEMENT MAGE UNDERSTANDING SPATIAL DATA DIGITAL CARTOGRAPHY SYSTEM INTEGRATION GEOPOSITIONING AND TARGETING SYSTEMS PHOTOGRAMMETRY GROUP SYSTEMS



MOSS Family

- MOSS (Map overlay Statistical System)-point, line, polygon analysis
- MAPS (Map Analysis and Processing System)-cell/raster analysis
- AMS (Analytical Mapping System)-data entry and edit
- COS (Cartographic Output System)-automated hardcopy output
- UTILITY-Misc. Utility Programs
- REFORM-Data Reformatting Programs



Federal Agencies Using MOSS

- U.S. Forest Service
- Los Alamos and Sandia National Laboratories
- Bureau of Land
 Management
- U.S. Fish and Wildlife Service

- U.S. Corps of Army Engineers
- National Park Service
- Soil Conservation Service
- Bureau of Indian Affairs
- · U.S. Geological Survey

Autometric

Milestones in the Evolution of MOSS

- 1976 AMS developed as first arc/node data entry system
- 1977-8 Initial development of MOSS
- 1979 AMS and MOSS used in production environment
- · 1980 Integration of AMS and MOSS
- 1982 Integration of MOSS and MAPS
- 1983 First MOSS User's Conference
- 1986 DOI hardware procurement for MOSS
- 1988 Fortran 77 version of MOSS
- 1989 32-bit version of MOSS



Significant Features of the Spring 1989 MOSS/MAPS Release

- FORTRAN 77
- Virtual Memory
- Consistency
- Reliability
- Primatives
- Color
- Precision

- Data Conversion
- Map Files
- Directory Structure
- Projection
- Active maps
- System Parameters
- Raster MOSS

Hutometric

DATABASE RETRIEVAL

- SELECT ENTIRE MAP
- SELECT SINGLE FEATURE
- SELECT FEATURES WITH CERTAIN SUBJECT AND **ATTRIBUTE CODES**
- APPLY BOOLEAN LOGIC INVOLVING MULTIPLE **ATTRIBUTES**
- RETRIEVE BY SIZE OR LENGTH CRITERIA
 - RETRIEVE SEVERAL MAPS
- **SELECT FEATURES IN A GIVEN AREA**
- SELECT BASED ON A PROXIMITY OR CONTIGUITY
- RANDOMLY SELECT FEATURES



MULTIPLE ATTRIBUTE

ANALYSIS

- GENERIC INTERFACE TO FLAT FILE
- SPECIFIC INTERFACE TO SQL DATABASE
- **CREATE AND EDIT ATTRIBUTES**
- SUMMARY REPORTS TO SCREEN OR
- "SPREADSHEET" FUNCTIONALITY
- GRAPHIC QUERY
- RETRIEVE USING MAP AND ATTRIBUTE DATA

Hutometric=

MOSS Multiple Attributes



Multiple Attribute File

Subject Area Tree Ty 052F 320 DF 195A 295 PP 172B 332 DF 362C 390 LP	Tree Type SI Planted	F 55 1947	6	ب 70 1968	65 1972
Subject 052F 195A 172B 362C			•		
	Subject	052F	195A	172B	362C
				. — -	

362C

172B

195A




052F

ELEVATION (X, Y, Z) ANALYSIS

- IMPORT DEM DATA
- CONVERT CONTOUR LINES TO DEM
- CONVERT VECTOR MAPS TO CELL MAPS
 - POINT-TO-GRID INTERPOLATION
- CREATE CONTOUR LINES
- AUTOMATICALLY LABEL LINES
- DISPLAY CROSS-SECTION OR PROFILE
- CALCULATE SLOPE, SLOPE LENGTH, ASPECT
- **DETERMINE VISIBILITY**
- DISPLAY A 3-D PERSPECTIVE

Autometric Software Subscription Service CORRECTION SOFTWARE L PROBLEM REPORTS SOFTWARE ON-CALL SUPPORT MAGNETIC TAPES FIELD OFFICE TRIPS PHONE CORRESPONDENCE

MOSS and MAPS System Interfaces



Evaluating Groundwater Pollution PotentialUsing Geographical Information Systems

by


Douglas D. Hickey

School of Civil Engineering Purdue University West Lafayette, Indiana


Outline


Overview of GIS (GRASS)
Groundwater Applications of GIS
Pollution Potential Mapping (DRASTIC)
Model Integration and Results

Definition of GIS



Data Representation (Raster vs. Vector)





Map Overlays in a Grid-cell GIS:

Each layer contains data for one attribute of interest


Common Spatial Analysis Capabilities of GIS

OPERATION	DESCRIPTION
Arithmetic	Add, subtract, multiply, and divide existing map layers
Boolean combinations	Combine groups of attributes from different map layers to form a new map
Weighting	Assign weights to attributes of several map layers, thereby signifying relative importance
Coincident tabulation	Chart the mutual occurrences of attributes between two map layers
Neighborhood	Enhance or subdue an attribute value by considering surrounding values
Distance proximity	Produce a map layer based on distance from an attribute of an existing map
Clumping	Group physically discrete areas into a unique attribute value
Surfacing	Fit a smooth surface by interpolating between known values
Morphologic operations	Determine characteristics of a given area's shape or form
Slope	Generate a slope layer from elevation data
Aspect	Generate an aspect layer from elevation data

The Geographical Resources Analysis Support System GRASS

- 1. Grid-Cell Data Analysis
 - a. Coincident tabulations
 - b. Map overlay tool
 - c. Weighted map overlay tool
 - d. Neighborhood operations tool
 - e. Distances analysis tool
- 2. Graphical Analysis
 - a. Monitor display routines
 - b. Hard-copy production routines
 - c. Three dimensional display routines
 - d. Image enhancement routines (his)
- 3. Map Generation
 - a. Area masking features
 - b. Regrouping features
 - c. Reclassification features
- 4. Sites Analysis
 - a. Site location tools
 - b. Site DBMS tools
- 5. Map information management
 - a. Report preparation utilities
 - b. Mapset query utilities

Data Layer Reclassification



Goals of GIS in Groundwater Engineering

- To provide a comprehensive database of necessary environmental information
- To provide a means for easily updating time-dependent information
- To provide decision support that would otherwise be infeasible or unavailable
- To obtain a conceptual understanding of the groundwater system and the spatial relationships associated with it
- To improve interagency and/or interdepartmental cooperation in the capture, storage, and use of digital geographic data
- To provide a means for producing publication quality illustrations for reports and presentations that can be understood by decision makers

Applications of GIS in Groundwater Engineering

Protection Planning

- Water Quality Classification
- Water Quality Monitoring
- Pollution Potential Mapping
- Relationships Between Quality and Public Health
- Identification of Well Capture Zones
- Identification of Recharge Zones
- Land Use Control

Groundwater Management

- Resource Identification
- Public Well Site Selection
- Water Use Monitoring
- Input and Output for Flow Models
- Remedial Investigations and Feasibility Studies
- Evaluate Impacts of Contamination Incidents
- Quantity Assessment
- Aid in Landfill Site Selection

Empirical Assessment Methodologies.

Method	Primary Use	Reference #
EPA	monitoring priorization	12,32
Decision tree	waste site selection aid	32 .
Criteria list	waste site selection aid	32
Water balance	landfill assessment	32
LeGrand 3	waste site assessment	32
Hagerty	hazardous waste assessment	32
Phillips	waste-soil-site combination	32
DRASTIC	regional protection aid	1
Canter	oil and gas field activities	12
G.O.D.	rapid regional assessment	18
LeGrand	waste site evaluation	28
Stack maps	regional or site assessment	26

DRASTIC

A Standardized System for Evaluating Groundwater Pollution Potential

Function:

$$D_r D_w + R_r R_w + A_r A_w + S_r S_w + T_r T_w + I_r I_w + C_r C_w = INDEX$$

Where:

r = Rating

w = Weight

D = Depth to Water

R = Net Recharge

A = Aquifer Media

S = Soil Media


T = Topography (Slope)

I = Impact of the Vadose Zone

C = Hydraulic Conductivity


INDEX = Pollution Potential Index

Developing DRASTIC Maps in a GIS Format



Geographic Information Technology: Software and Hardware Strategies Jack McCarthy, ESRI

A presentation on a state-of-the-art geographic database model designed for open architecture and industry standard hardware platforms. Presentation to include discussion of the distributed computing environment, open database architecture, a user interface/application approach, and integration to other related geographic technologies.



-ZHOEZ<FECZ

Cuantity Data

大田の内では、これがいること

3 - d3

Terresolver Emery Emery Corettes

Geographic Geographic


Telnder

1





















Graphic User Interface

多 中小海流 湯 神神 ニー・

Operating System

Hardware



Spatial Information Technology The Integration of

The Next Step

- To Automate Map Making
- To Analyze Imagery
- arge Spa o Manage

Image Processing

CAD Systems

- Digitally Assist in Draft
- Interactive Graphics
- Data Stored As

 Sets of Graphic Primitive
 (Lines, Circles, Curves, el


जिस्मान्य


Data Stored As The Image Planes

Manage Large, Spatia

Provide Tools for Spatial A

Data Stored As






Integration Tools

GIS-DBMS (Feature/Record)

GIS-CADD/Image (Feature/Image)

Visual Integration (Raster/Vector Overlay



Data Structures.

Software Functionality

S and Manac

WORKING GROUP REPORT

- A. REMOTE SENSING IN HAZARDOUS& TOXIC WASTE
- **B. PLANNING AND MARKETING GROUP**
- C. RASTER/VECTOR INTEGRATION
- D. SINGLE DISCIPLINE TASK GROUP

WORKING GROUP REPORT

a. Remote Sensing in Hazardous and Toxic Waste

DISCUSSION:

- 1. Problems with acquiring data from 20-40 years ago Warehouse of uncataloged aerial photos are located countrywide Our mission has changed to Environmental work. Data from NIKE/Ammunition plants, landfills is not readily available.
- 2. When serial photos are obtained they are done by various entities. The problem results in different scales. There exists a need to make serial photos more usable.
- 3. A need exists to digitize serial photos and form a data base so that present and future acquisition time is lessened.
- 4. Need exists for thermo-emmisivity remote sensing data to determine problem areas. Would probably be useful on large areas (ammunition/ordnance plants 25,000+ acres).
- 5. Place responsibility to acquire aerial photos in real estate section since responsibility rests with them to dispose of data.
 - 6. Need for S.O.P. handbook for acquiring data.

RECOMMENDATION:

- 1. Thermo-emissivity pilot project on a large area to see what can be learned.
- 2. Cost-sharing Corps-wide for data collection, etc.
- 3. Use of indirect engineering overhead for data acquisition.

b. Planning and Marketing Group

Recommendations:

- 1. OCE should establish a GIS Center of Expertise.
- 2. The Center should be responsible for a bulletin board and newsletter.
- 3. The Center should (probably) develop a set of GIS planning guidelines.
- 4. The Center should (on request) review GIS plans, establish long-range plans and recommend future direction.
- 5. Management should be educated, as was done with CADD, on the utility of GIS's especially about return-on-investment or cost/benefit issues.
 - 6. A Corps-wide GIS inventory should be done and made available.
 - 7. Establish a central point to acquire data to eliminate duplicate buys.
- 8. Establish GIS user's groups at a sub-national geographic level (SE, SW, NE, etc.) to meet, exchange information/expertise, etc.
- 9. Incorporate GIS guidance and plans into District- and FOA- level Information Management Plans (IMPs); this could reinforce GIS approval and give it visibility.
 - 10. Make sure GIS is included in the organizations' IM architecture.
- 11. Include the organization's Information Steering or Coordinating Committee in GIS decision-making.

c. Rester/Vector

Recommendations:

- 1. Desire expressed to have software available to perform concurrent processing of vector and raster data. Information was presented to the group that ETL/ALBE and software from Delta Data Co now perform concurrent processing.
- 2. There needs to be more sharing of data and interchangeability of data between various commercial or Federal systems. Recommend an open data structure which would allow interchange between CADD and GIS.
- 3. Recommend a corps voice be present at ANSI to assist in development of interchange standards for GIS data.
- 4. Need exists for a central Corps site for obtaining and distributing digital mapping and imagery data. A library would be an appropriate central point for existing data.

d. Single Discipline Task Group

Discussions on Formulation of a CADD Center (USAWES)

One topic of the break-out sessions, at the USATHAMA/USACERL GIS Information Exchange Meeting held in Denver, CO, was to discuss interest in formulation of a GIS-SDTG under the USAWES CADD Center.

Mr. Sendy Stephens, Chief, CADD Center, discussed the role of the SDTG's in meeting the CADD Center's charter, that being to enable the Corps to optimize use of CADD technology quickly. The SDTG's are the vehicle for grass roots input from the field offices to Corpswide CADD Activities, particularly those which involve technical considerations related to the consolidated procurement contract with the Integraph Corporation.

SDTG's have either already been formulated or are in the process of being formulated for ten application areas, including: civil/site design, structural design, electrical, mechanical, architectural, geotechnical, surveying and mapping, hydraulics and hydrology, systems management, and DEH support. SDTG's are normally formed with up to 12 active members, with a general functional and geographic sampling of users of Intergraph-based systems, including lab and field representatives, along with an OCE proponent and CADD Center representative.

Mr. Stephens stated that Army Installations to date have not been explicitly represented on the SDTG's. HQ discussions will likely lead to the Directorate of Engineering and Housing (DEH) representation on a number of the SDTG's or creation of a SDTG specifically dealing with CADD utilization at the Installations.

The role of SDTG's are primarily to identify advancements needed in software development through the Intergraph consolidated contract and to promote information exchange among users. The SDTG's also address needs for software certification within the agency for standarization of analysis and-modeling.

Discussions during the breek-out session focused primarily on the need for formulation of a SDTG to address the needs of GIS applications on Intergraph hardware/software systems. A second major focus of the proposed GIS-SDTG was to act as a technical forum for CADD/GIS transportability issues between Intergraph systems and other hardware or software systems. Issues related to porting of the Corps' GRASS software system on Intergraph platforms would also be included. Specific needs and activities of the proposed SDTG are outlined below.

The specific needs for formulating a GIS-SDTG were presented to the conference body. Considerable concerns was voiced that this proposed group not be represented as the only body discussing Corps-wide GIS developments, particularly covering those offices not involved in the Intergraph procurement. The findings contained in the Ad-Hoc GIS Committee report were reiterated that it was not recommended that the Corps standardize GIS developments around a

single vendor's system, but rather promote broader implementation across the agency. Until much broader issues outlined in the Ad Hoc GIS committee report are resolved, considerable debate will naturally continue. A listing of broader Corps-wide GIS development needs and concerns were drawn up and are presented below.

Specific Needs for Single Discipline Task Group (SDTG) for GIS Under the USAWES CADD Center

- Data Exchange / Transportatability / Porting Support between CADD and GIS
- Evaluate standards for Intergraph GIS Mapping / Analysis / Modeling for: Attribute Schema, Symbology, Weights, Fonts, QA/QC, Genealogy, Error Budgeting, etc.
- Promote Information Exchange (i.e., Newsletters, EMAIL, etc.)
- Identify GIS / Technical Contacts
- Software Evaluations / Needs for new or Improved Intergraph Modules
- Software and Translator Certification of Intergraph Modules
- Recommend CADD Contract Modifications / Pricing Strategies
- Training Needs Assessments / Information Exchange
- Interface to Other SDTG's

Broad Needs for Corps-Wide GIS Development

- Develop a functional GIS infrastructure within the Corps
- Develop field-level working groups for input to OCE GIS Steering Committee
- Promote field level GIS database / analysis / modeling coordination
- Evaluate needs for the formulation of a Corps GIS center(s)
- Evaluate needs for GIS regional support centers / data repositories
- Develop Corps-wide GIS mapping /analysis / modeling standards for: attribute schema, symbology, weighting, QA/QC, genealogy, error budgeting, etc.
- Assess Corps-specific GIS software development needs
- Create a R&D program for GIS modeling / analysis
- Assess GIS training needs / offerings
- Promote technology transfer forums